




Instructions for use

Boots protection art. 2-0898-237	Neck protection art. 2-0899-237	Protective apron art. 2-4820-237	Protective apron art. 2-4821-237
---	--	---	---

Intended use

Protective accessories, flame retardant, protecting against hot factors consist of a shoe protector - art. 2-0898-237, neck protector - art. 2-0899-237 and protective aprons art. 2-4820-237 and 2-4821-237. They protect the employee against short-term contact with a flame, convective and radiant heat, splashes of molten iron and aluminum, and contact heat. Clothing meets the essential requirements for personal protective equipment contained in the Regulation of the European Parliament and of the EU Council 2016/425 of 9 March 2016 on personal protective equipment and in the standards: EN ISO 13688:2013, EN ISO 11612:2015.

 EN ISO 11612:2015 A1+A2, B(2), C(2), D(3), E(3), F(1)		
EN ISO 11612:2015 – Protection against heat and flame Resistance to: A1+A2 – limited flame spread – surface and edge ignition B2 – convective heat on level 2 C2 – radiant heat on level 2 D3 – molten aluminium splash on level 3 E3 – molten iron splash on level 3 F1 – contact heat on level 1	Clothing meets the essential requirements for personal protective equipment, contained in the Regulation of the European Parliament and of the Council of the European Union 2016/425 dated 9 March 2016.	Before using, read the contents of this instructions for use.

Use

Accessories should only be used in combination with clothing that provides an adequate level of protection for the rest of the employee's body. Accessories during use should always be fastened. Accessories should be cleaned regularly as recommended by the manufacturer. After cleaning, the accessories should be checked. Each time before use, an employee intending to use them should check whether they have been damaged. If the product inspection reveals that it has missing or damaged components, it must be repaired. Clothing can only be repaired by the manufacturer or specialized facilities. Damaged items of clothing (pleats, flaps) should be replaced. Fabrics and threads as well as missing fasteners (adhesive tapes) used for repairs should be original, supplied by the clothing manufacturer. Clothing after repair should keep its original shapes and dimensions. ATTENTION: A faulty repair can result in the loss of protective properties of clothing. In the event of damage excluding the replacement of elements with new ones, clothing should be immediately removed from use. Do not allow heavy dirt during use.

Storage and transport

The clothing should be transport in original packaging (plastic bags), protecting against dirt, mechanical damage and getting wet. Store the clothing in a dry and well-ventilated place, away from heat sources and light points. Do not store the clothing when it is dirty.

Warnings:

- Parameters tests, according to EN ISO 11612: 2015, were carried out after 5 maintenance cycles.
- In the event of accidental splashing of clothing with chemicals or flammable liquids, the user should immediately withdraw from the workplace and carefully remove clothing so that no part of the user's skin comes into contact with the chemicals.
- In the event of metal splashes, the user should immediately leave the workplace and remove the product. A product worn just next to the skin may not completely eliminate the risk of burns.
- The personal protection equipment after use is a waste, which the user should properly classify and then transfer for disposal in accordance with applicable law.
- No allergenic substances have been found in the materials used to manufacture the clothing; however, if any allergic reactions are noticed, especially in the case of sensitive individuals, such a person should leave the working zone, take off the garment and consult a doctor.
- It is advisable to keep this manual for further reference.

EU Type Examination Certificate No. **ITT.69.59.7.3.330.PPE.2534** (module B) issued by notified body no. 2534 – ITT CERTEX Sp. z o.o. 91-765 Łódź, ul. Górnicza 30/36, Polska.

Supervision according to module C2 (conformity to type based on internal production control and supervised product checks at random intervals) carried out by the Notified Body No. 2534 – ITT CERTEX Sp. z o.o. 91-765 Łódź, ul. Górnicza 30/36, Polska.






EU Declaration of Conformity at: www.kegel.pl/ce

Composition **Fabric:** 72% Teflon® PTFE, Aramid – 28%

Lining + piping: 100% Cotton

Maintenance


Do not wash clothing with other clothing. Use the following maintenance procedures:

				
Maximum washing temp. 60°C – normal process	Do not bleach	Tumble drying possible – lower temperature. Max. exhaust temp. 60°C	Iron at max. sole-plate temperature of 110°C	Professional dry cleaning in tetrachloroethene and all solvent listed for the symbol F, normal process

Body dimensions to the size of protective clothing

In order to properly choose the size of clothing, use the information in the size table. Body measurements should be made at the places marked in the figure below.

Size table (dimensions are given in centimeters)

	Size	Height (A)	Chest size (B)	Waist size (C)
	046	164-170	88-92	80-84
	048	170-176	92-96	84-88
	050	170-176	96-100	88-92
	052	176-182	100-104	92-96
	054	176-182	104-108	96-104
	056	182-188	108-112	104-108
	058	182-188	112-116	108-116
	060	188-194	116-120	116-120
	062	188-194	120-124	120-128

Selection of shoe protectors based on the table below:

Designation	Shoe size (EU)
I	up to 42
II	up to 46
III	up to 50